

Activity 8: Creating an Ordered List

An ordered list displays items such as a Table of Contents or a list of instructions in a specific order. When you use this tag, you can change the numbering style for the list, or you can add or delete items without having to re-number individual items.

For the following activities you will use the source of your second page. Open your source and the web page page 2 before you continue.

- ✓ In the source of your second web page, enter the following:

```
<H2>Activity 8</H2><HR><BR><BR>
<H3>Table of Contents</H3>
<OL>
<LI>Introduction
<LI>Company History
<LI>Products Offered
<LI>Services Offered
<LI>Conclusion</OL><BR>
```

- ✓ *Save and Refresh.* View the results on your web.

1. Between *Company History* and *Products Offered*, insert **Order Information**. What happens to the list?
2. In the **** tag, type **TYPE=A**. (ie. **<OL TYPE=A>**). What happens to the list?
3. Replace the *A* with *a*. What happens?
4. Next try **I**, **i**, and **1** in turn. What happens with each change?
5. If the type is not specified, what is the default?

Activity 9: Creating an Unordered List

An unordered list is a bulleted list with items displayed in no particular order. You can change the bullet style for the items in the list. You can also use small images as bullets. The image should be small enough to fit neatly beside each

item in the list. Check out Google.ca and see if you can get images that are small enough to be used as bullet images. Save these to your HTML folder.

✓ In the source of your page 2 web page, enter the following:

```
<H2>Activity 9</H2><HR><BR><BR>
```

```
<H3>My Favorite Foods</H3>
```

```
<UL>
```

```
<LI>Pizza
```

```
<LI>Hot Dogs
```

```
<LI>Chocolate Cake
```

```
<LI>Cheeseburgers
```

```
<LI>Apple Pie
```

```
</UL><BR>
```

✓ *Save and Refresh.* View the results on your web page and answer the following questions:

1. In the `` tag, type `TYPE=circle`. (i.e. `<UL TYPE=circle>`). What happens to the list?
2. Replace *circle* with *square* and then *disc*. What happens each time?

✓ To add an image as a bullet, the image must first be saved in your folder. Remember it should be small enough to fit neatly beside your text. Enter the following tags replacing the ? with the file name of the image you're using as the bullet.

```
<BR><H3>BBT Modules</H3>
```

```
<UL>
```

```
<BR><IMG SRC="?" ALIGN=middle HSPACE=20>HTML
```

```
<BR><IMG SRC="?" ALIGN=middle HSPACE=20>HyperStudio
```

```
<BR><IMG SRC="?" ALIGN=middle HSPACE=20>Digital Photography
```

```
<BR><IMG SRC="?" ALIGN=middle HSPACE=20>The Incredible Machine
```

```
</UL><BR>
```

Note: The **ALIGN=middle** tag aligns each list item in the middle of the image. The **HSPACE=20** tag places 20 pixels of space between the image and the text.

Activity 10: Creating a Nested List

A nested list is a list within a list. It is used to display additional sub-headings about an item in the main list. A nested list can be ordered or unordered regardless of the type of main list used.

- ✓ In the source of your second web page, enter the following:

```
<H2>Activity 10</H2><HR><BR><BR>
<H3>Table of Contents</H3>
<OL>
<LI>Introduction
<OL TYPE=a>
<LI>Who are we?
<LI>What do we do?
<LI>How can we help you?
</OL>
<LI>Company History
<LI>Products Offered
<LI>Services Offered
<LI>Conclusion
</OL><BR>
```



- ✓ *Save and Refresh.* View the results on your web page.